

## IN THE CLAIMS

Please amend the claims as follows:

1.-3. (Canceled)

4. (Currently amended) A method for a wireless device capable of communicating over a wireless network and having operating software for supporting a computer platform on said wireless device capable of executing applications, comprising: ~~of operating a wireless telephone including storage, processing circuitry, and a recall program, the method comprising operations of:~~

booting-up the wireless device, said booting-up including initializing said wireless device for normal communications over the wireless network;

after said booting-up, receiving, over the wireless network, a recall command identifying a specific application available for execution on said computer platform of said wireless device;  
and

responsive to said recall command, uninstalling said specific application.

~~the recall program automatically uninstalling one or more application programs contained in the storage responsive the telephone detecting a remote recall command received via a wireless network.~~

5. (Currently amended) The method of claim 4, wherein the recall command comprises an identification of said specific application and an instruction for causing said wireless device to delete said specific application. the uninstalling operation comprising:

~~the wireless telephone receiving the recall command via a wireless network, the recall command identifying at least one application program and containing instructions to uninstall the identified application program; and~~

~~automatically responsive to the recall command, the wireless telephone uninstalling the identified application program.~~

6. (Currently amended) The method of claim 5, wherein the recall command is sent to the wireless device via a short message service (SMS) message. ~~operation of receiving the recall command comprising:~~

~~receiving a recall message containing instructions to obtain the recall command from a recall command source, and obtaining the recall command from the recall command source.~~

7.-8. (Canceled)

9. (Currently amended) The method of claim 5, [[5,]] wherein[[:]] said step of uninstalling comprises:

searching a database on said wireless device using said identification to determine an address range corresponding to said specific application; and

deleting contents of said address range.

~~the operations further comprise the telephone referencing a local database to determine whether the identified application program resides in the storage;~~

~~the uninstalling operation comprises uninstalling application programs determined to reside in the storage.~~

10. (Currently amended) A method for a server to cause a recall of ~~recalling a~~ specific application installed on a subset of wireless devices selected from a set of wireless devices, each wireless device in said set capable of communicating over a wireless network, said server capable of communicating over said wireless network, the method comprising: one or more application programs resident upon a wireless telephone, comprising operations of:

maintaining a database for identifying each application installed on each wireless device of said set;

searching said database to identify said subset of wireless devices having said specific application installed; and

sending an application recall command to each wireless device in said subset.

~~identifying any application programs for which certain recall criteria apply;~~

~~identifying wireless telephones having the identified application programs installed thereon;~~

~~constructing recall commands specifying the identified application programs and including instructions to uninstall the identified application programs;~~

~~sending the recall commands to the identified wireless telephones via one or more wireless networks.~~

11. (Currently amended) The method of claim 10, ~~further comprising:~~ wherein each recall command comprises an identification of said specific application and an instruction for causing one of said wireless devices from said subset of wireless devices to delete said specific application.

~~responsive to the recall commands, the wireless telephones uninstalling the identified application programs.~~

12.-19. (Canceled)

20. (New): The method of claim 11, wherein the recall command is sent to the wireless device via a short message service (SMS) message.

21. (New): The method of claim 5, wherein each recall command further comprises:  
  
a uninstall application, which when executed by a wireless device, deletes said specific application.

22. (New): The method of claim 10, wherein each recall command further comprises:  
a uninstall application, which when executed by a wireless device, deletes said specific application.

23. (New): The method of claim 10, wherein each wireless device which receives said application recall command uninstalls an application identified in said application recall command.

24. (New): The method of claim 10, wherein each wireless device which receives said application recall command responds to said application recall command by checking-in with a server on said wireless network to determine whether any installed applications requires uninstallation.

25. (New): A method for a wireless device capable of communicating over a wireless network and having operating software for supporting a computer platform on said wireless device capable of executing applications, comprising:

booting-up the wireless device, said booting-up including initializing said wireless device for normal communications over the wireless network;

after said booting-up, receiving, over the wireless network, a recall message; and

responsive to said recall message, checking-in with a server on said wireless network to determine whether to uninstall one or more applications on said wireless device.